

```

<?xml version="1.0" encoding="UTF-8"?>
<!-- edited with XMLSPY v2004 rel. 3 U (http://www.xmlspy.com) by Joseph Giroux (private) -->
<xss:schema targetNamespace="http://www.xap.com/CCCTran" xmlns:xss="http://www.w3.org/2001/XMLSchema"
xmlns:ColTrn="urn:org:pesc:message:CollegeTranscript:v1.0.0" xmlns="http://www.xap.com/CCCTran" elementFormDefault="unqualified"
attributeFormDefault="unqualified">
    <xss:import namespace="urn:org:pesc:message:CollegeTranscript:v1.0.0" schemaLocation="CollegeTranscript_v1.0.0.xsd"/>
    <!--Name: TranscriptCCCUDE.xsd from California Community Colleges Transcript Project (CCCTran) -->
    <!--Version: 1.0.0 -->
    <!--Date: Sep. 05, 2007 -->
    <!--Change Log:-->
    <!-->
    <!-- v0.1.0 - Aug, 2005 - Joseph Giroux - proposed CCCUDE given to Xap -->
    <!-- v0.2.0 - Dec, 2005 - Xap Corp - CCCUDE used for beta system -->
    <!-- v0.3.0 - 08/22/2007- Joseph Giroux - Add change log & structural comments; Add Course GE/IGETC Area enumerations -->
    <!-- v1.0.0 - 09/05/2007 - Brandon Young - Update version number to 1.0.0 to indicate this is a live version -->
    <!-->
    <!-->
    <!--Extensions to the Course-->
    <!-->
<xss:element name="CourseCCCExtensions" type="CourseCCCExtensionsType"/>
<xss:complexType name="CourseCCCExtensionsType">
    <xss:sequence>
        <xss:element name="StateArticulationID" minOccurs="0">
            <xss:simpleType>
                <xss:restriction base="xs:string">
                    <xss:minLength value="1"/>
                    <xss:maxLength value="10"/>
                </xss:restriction>
            </xss:simpleType>
        </xss:element>
        <xss:element name="CSUArticulationID" minOccurs="0">
            <xss:simpleType>
                <xss:restriction base="xs:string">
                    <xss:minLength value="1"/>
                    <xss:maxLength value="10"/>
                </xss:restriction>
            </xss:simpleType>
        </xss:element>
        <xss:element name="CSUAmerInstCode" minOccurs="0">
            <xss:simpleType>
                <xss:restriction base="xs:string">
                    <xss:enumeration value="Applied"/>
                    <xss:enumeration value="NotApplied"/>
                </xss:restriction>
            </xss:simpleType>
        </xss:element>
    </xss:sequence>
</xss:complexType>

```

```
</xs:element>
<xs:element name="CSUGEEligibleArea" minOccurs="0" maxOccurs="3">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:minLength value="3"/>
            <xsmaxLength value="3"/>
            <xs:enumeration value="A01"/>
            <xs:enumeration value="A02"/>
            <xs:enumeration value="A03"/>
            <xs:enumeration value="A04"/>
            <xs:enumeration value="A05"/>
            <xs:enumeration value="A06"/>
            <xs:enumeration value="A07"/>
            <xs:enumeration value="A08"/>
            <xs:enumeration value="A09"/>
            <xs:enumeration value="A10"/>
            <xs:enumeration value="B01"/>
            <xs:enumeration value="B02"/>
            <xs:enumeration value="B03"/>
            <xs:enumeration value="B04"/>
            <xs:enumeration value="B05"/>
            <xs:enumeration value="B06"/>
            <xs:enumeration value="B07"/>
            <xs:enumeration value="B08"/>
            <xs:enumeration value="B09"/>
            <xs:enumeration value="B10"/>
            <xs:enumeration value="C01"/>
            <xs:enumeration value="C02"/>
            <xs:enumeration value="C03"/>
            <xs:enumeration value="C04"/>
            <xs:enumeration value="C05"/>
            <xs:enumeration value="C06"/>
            <xs:enumeration value="C07"/>
            <xs:enumeration value="C08"/>
            <xs:enumeration value="C09"/>
            <xs:enumeration value="C10"/>
            <xs:enumeration value="D01"/>
            <xs:enumeration value="D02"/>
            <xs:enumeration value="D03"/>
            <xs:enumeration value="D04"/>
            <xs:enumeration value="D05"/>
            <xs:enumeration value="D06"/>
            <xs:enumeration value="D07"/>
            <xs:enumeration value="D08"/>
            <xs:enumeration value="D09"/>
            <xs:enumeration value="D10"/>
            <xs:enumeration value="E01"/>
```

```
        <xs:enumeration value="E02"/>
        <xs:enumeration value="E03"/>
        <xs:enumeration value="E04"/>
        <xs:enumeration value="E05"/>
        <xs:enumeration value="E06"/>
        <xs:enumeration value="E07"/>
        <xs:enumeration value="E08"/>
        <xs:enumeration value="E09"/>
        <xs:enumeration value="E10"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="CSUGEAppliedArea" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:minLength value="3"/>
            <xs:maxLength value="3"/>
            <xs:enumeration value="A01"/>
            <xs:enumeration value="A02"/>
            <xs:enumeration value="A03"/>
            <xs:enumeration value="A04"/>
            <xs:enumeration value="A05"/>
            <xs:enumeration value="A06"/>
            <xs:enumeration value="A07"/>
            <xs:enumeration value="A08"/>
            <xs:enumeration value="A09"/>
            <xs:enumeration value="A10"/>
            <xs:enumeration value="B01"/>
            <xs:enumeration value="B02"/>
            <xs:enumeration value="B03"/>
            <xs:enumeration value="B04"/>
            <xs:enumeration value="B05"/>
            <xs:enumeration value="B06"/>
            <xs:enumeration value="B07"/>
            <xs:enumeration value="B08"/>
            <xs:enumeration value="B09"/>
            <xs:enumeration value="B10"/>
            <xs:enumeration value="C01"/>
            <xs:enumeration value="C02"/>
            <xs:enumeration value="C03"/>
            <xs:enumeration value="C04"/>
            <xs:enumeration value="C05"/>
            <xs:enumeration value="C06"/>
            <xs:enumeration value="C07"/>
            <xs:enumeration value="C08"/>
            <xs:enumeration value="C09"/>
            <xs:enumeration value="C10"/>
```

```
        <xs:enumeration value="D01"/>
        <xs:enumeration value="D02"/>
        <xs:enumeration value="D03"/>
        <xs:enumeration value="D04"/>
        <xs:enumeration value="D05"/>
        <xs:enumeration value="D06"/>
        <xs:enumeration value="D07"/>
        <xs:enumeration value="D08"/>
        <xs:enumeration value="D09"/>
        <xs:enumeration value="D10"/>
        <xs:enumeration value="E01"/>
        <xs:enumeration value="E02"/>
        <xs:enumeration value="E03"/>
        <xs:enumeration value="E04"/>
        <xs:enumeration value="E05"/>
        <xs:enumeration value="E06"/>
        <xs:enumeration value="E07"/>
        <xs:enumeration value="E08"/>
        <xs:enumeration value="E09"/>
        <xs:enumeration value="E10"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="CSUIGETCEligibleArea" minOccurs="0" maxOccurs="3">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:minLength value="2"/>
            <xsmaxLength value="2"/>
            <xs:enumeration value="1A"/>
            <xs:enumeration value="1B"/>
            <xs:enumeration value="1C"/>
            <xs:enumeration value="2A"/>
            <xs:enumeration value="3A"/>
            <xs:enumeration value="3B"/>
            <xs:enumeration value="4A"/>
            <xs:enumeration value="4B"/>
            <xs:enumeration value="4C"/>
            <xs:enumeration value="4D"/>
            <xs:enumeration value="4E"/>
            <xs:enumeration value="4F"/>
            <xs:enumeration value="4G"/>
            <xs:enumeration value="4H"/>
            <xs:enumeration value="4I"/>
            <xs:enumeration value="4J"/>
            <xs:enumeration value="5A"/>
            <xs:enumeration value="5B"/>
            <xs:enumeration value="8A"/>
```

```
                <xs:enumeration value="8B" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element name="CSUIGETCAppliedArea" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:minLength value="2"/>
            <xs:maxLength value="2"/>
            <xs:enumeration value="1A" />
            <xs:enumeration value="1B" />
            <xs:enumeration value="1C" />
            <xs:enumeration value="2A" />
            <xs:enumeration value="3A" />
            <xs:enumeration value="3B" />
            <xs:enumeration value="4A" />
            <xs:enumeration value="4B" />
            <xs:enumeration value="4C" />
            <xs:enumeration value="4D" />
            <xs:enumeration value="4E" />
            <xs:enumeration value="4F" />
            <xs:enumeration value="4G" />
            <xs:enumeration value="4H" />
            <xs:enumeration value="4I" />
            <xs:enumeration value="4J" />
            <xs:enumeration value="5A" />
            <xs:enumeration value="5B" />
            <xs:enumeration value="8A" />
            <xs:enumeration value="8B" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="UCIGETCEligibleArea" minOccurs="0" maxOccurs="3">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:minLength value="2"/>
            <xs:maxLength value="2"/>
            <xs:enumeration value="1A" />
            <xs:enumeration value="1B" />
            <xs:enumeration value="1C" />
            <xs:enumeration value="2A" />
            <xs:enumeration value="3A" />
            <xs:enumeration value="3B" />
            <xs:enumeration value="4A" />
            <xs:enumeration value="4B" />
            <xs:enumeration value="4C" />
            <xs:enumeration value="4D" />
```

```
        <xs:enumeration value="4E" />
        <xs:enumeration value="4F" />
        <xs:enumeration value="4G" />
        <xs:enumeration value="4H" />
        <xs:enumeration value="4I" />
        <xs:enumeration value="4J" />
        <xs:enumeration value="5A" />
        <xs:enumeration value="5B" />
        <xs:enumeration value="8A" />
        <xs:enumeration value="8B" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="UCIGETCAppliedArea" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:minLength value="2" />
            <xs:maxLength value="2" />
            <xs:enumeration value="1A" />
            <xs:enumeration value="1B" />
            <xs:enumeration value="1C" />
            <xs:enumeration value="2A" />
            <xs:enumeration value="3A" />
            <xs:enumeration value="3B" />
            <xs:enumeration value="4A" />
            <xs:enumeration value="4B" />
            <xs:enumeration value="4C" />
            <xs:enumeration value="4D" />
            <xs:enumeration value="4E" />
            <xs:enumeration value="4F" />
            <xs:enumeration value="4G" />
            <xs:enumeration value="4H" />
            <xs:enumeration value="4I" />
            <xs:enumeration value="4J" />
            <xs:enumeration value="5A" />
            <xs:enumeration value="5B" />
            <xs:enumeration value="8A" />
            <xs:enumeration value="8B" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="GradeBracket" minOccurs="0">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:enumeration value="GradeIsBracketed" />
            <xs:enumeration value="GradeIsNotBracketed" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
```

```
        </xs:simpleType>
    </xs:element>
    <xs:element name="AttemptedUnitsCalc" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:enumeration value="Counted"/>
                <xs:enumeration value="BracketedNotCounted"/>
                <xs:enumeration value="BracketedCounted"/>
                <xs:enumeration value="NotCounted"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="EarnedUnitsCalc" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:enumeration value="Counted"/>
                <xs:enumeration value="BracketedNotCounted"/>
                <xs:enumeration value="BracketedCounted"/>
                <xs:enumeration value="NotCounted"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="GradePointsCalc" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:enumeration value="Counted"/>
                <xs:enumeration value="BracketedNotCounted"/>
                <xs:enumeration value="BracketedCounted"/>
                <xs:enumeration value="NotCounted"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="Transferability" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:enumeration value="TransferableToUCandCSU"/>
                <xs:enumeration value="TransferableToCSU"/>
                <xs:enumeration value="NotTransferableToUCorCSU"/>
                <xs:enumeration value="TransferableToUC"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="CourseActionCode" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:enumeration value="CreditDenied"/>
                <xs:enumeration value="GradeChanged"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
```

```

                <xs:enumeration value="IncompleteGradeChanged"/>
                <xs:enumeration value="CourseEntryChangedByPetition"/>
                <xs:enumeration value="UnitsChanged"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
</xs:sequence>
</xs:complexType>
<!--Extensions to the Academic Record-->
<!--Extensions to the Academic Record-->
<xs:element name="AcademicRecordCCCExtensions" type="AcademicRecordCCCExtensionsType" />
<xs:complexType name="AcademicRecordCCCExtensionsType">
    <xs:sequence>
        <xs:element name="GradeSchemeEntry" minOccurs="0" maxOccurs="unbounded">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="Grade" minOccurs="0">
                        <xs:simpleType>
                            <xs:restriction base="xs:string">
                                <xs:minLength value="0"/>
                                <xs:maxLength value="3"/>
                            </xs:restriction>
                        </xs:simpleType>
                    </xs:element>
                    <xs:element name="Description" minOccurs="0">
                        <xs:simpleType>
                            <xs:restriction base="xs:string">
                                <xs:minLength value="0"/>
                                <xs:maxLength value="30"/>
                            </xs:restriction>
                        </xs:simpleType>
                    </xs:element>
                    <xs:element name="GradePoints" minOccurs="0">
                        <xs:simpleType>
                            <xs:restriction base="xs:decimal">
                                <xs:totalDigits value="5"/>
                                <xs:fractionDigits value="3"/>
                            </xs:restriction>
                        </xs:simpleType>
                    </xs:element>
                    <xs:element name="EDIGradeQualifier" minOccurs="0">
                        <xs:simpleType>
                            <xs:restriction base="xs:string">
                                <xs:minLength value="0"/>
                                <xs:maxLength value="3"/>
                            </xs:restriction>
                        </xs:simpleType>
                    </xs:element>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
    </xs:sequence>
</xs:complexType>

```

```
        </xs:simpleType>
    </xs:element>
    <xs:element name="AttemptedUnitsCalc" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:enumeration value="Counted"/>
                <xs:enumeration value="BracketedNotCounted"/>
                <xs:enumeration value="BracketedCounted"/>
                <xs:enumeration value="NotCounted"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="EarnedUnitsCalc" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:enumeration value="Counted"/>
                <xs:enumeration value="BracketedNotCounted"/>
                <xs:enumeration value="BracketedCounted"/>
                <xs:enumeration value="NotCounted"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="GradePointsCalc" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:enumeration value="Counted"/>
                <xs:enumeration value="BracketedNotCounted"/>
                <xs:enumeration value="BracketedCounted"/>
                <xs:enumeration value="NotCounted"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="EffectiveFromDate" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:date"/>
        </xs:simpleType>
    </xs:element>
    <xs:element name="EffectiveToDate" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:date"/>
        </xs:simpleType>
    </xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="NotationLegendEntry" minOccurs="0" maxOccurs="unbounded">
    <xs:complexType>
```

```
<xs:sequence>
    <xs:element name="NotationCode" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:minLength value="0"/>
                <xsmaxLength value="3"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="NotationDescription" minOccurs="0">
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:minLength value="0"/>
                <xsmaxLength value="50"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="EffectiveFromDate" type="xs:date" minOccurs="0"/>
    <xs:element name="EffectiveToDate" type="xs:date" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="InstitutionInformationEntry" minOccurs="0" maxOccurs="unbounded">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="InstitutionNoteID" minOccurs="0">
                <xs:complexType>
                    <xs:sequence>
                        <xs:element name="InstitutionNoteTopic" minOccurs="0">
                            <xs:simpleType>
                                <xs:restriction
base="xs:string">
                                    <xs:enumeration
value="Accreditation"/>
                                    <xs:enumeration
value="DegreesAndCertificates"/>
                                    <xs:enumeration
value="HonorsPolicy"/>
                                    <xs:enumeration
value="PrivacyPolicy"/>
                                    <xs:enumeration
value="AcademicAndProgressStatus"/>
                                    <xs:enumeration
value="TermsAndConversions"/>
                                    <xs:enumeration
value="OtherInformation"/>
```

```

type="xs:int" minOccurs="0" />
                                         </xs:restriction>
                                         </xs:simpleType>
                                     </xs:element>
                                     <xs:element name="InstitutionNoteStatement"
maxOccurs="unbounded">
                                         </xs:sequence>
                                         </xs:complexType>
                                     </xs:element>
                                     <xs:element name="InstitutionNoteMessage" minOccurs="0"
                                         <xs:simpleType>
                                             <xs:restriction base="xs:string">
                                                 <xs:maxLength value="80"/>
                                                 <xs:minLength value="1"/>
                                             </xs:restriction>
                                         </xs:simpleType>
                                     </xs:element>
                                         </xs:sequence>
                                         </xs:complexType>
                                     </xs:element>
                                     <xs:element name="CSUAmerHistCompletion" minOccurs="0">
                                         <xs:complexType>
                                             <xs:sequence>
                                                 <xs:element name="CompletionIndicator" minOccurs="0">
                                                     <xs:simpleType>
                                                         <xs:restriction base="xs:string">
                                                             <xs:enumeration value="Completed"/>
                                                             <xs:enumeration value="NotCompleted"/>
                                                         </xs:restriction>
                                                     </xs:simpleType>
                                                 </xs:element>
                                                 <xs:element name="DateAchieved" type="xs:date" minOccurs="0" />
                                             </xs:sequence>
                                         </xs:complexType>
                                     </xs:element>
                                     <xs:element name="CSUGECompletion" minOccurs="0">
                                         <xs:complexType>
                                             <xs:sequence>
                                                 <xs:element name="CSUGECompletionDate" type="xs:date" minOccurs="0" />
                                                 <xs:element name="CSUGECompletionAreas" minOccurs="0" maxOccurs="5">
                                                     <xs:complexType>
                                                         <xs:sequence minOccurs="0">
                                                             <xs:element name="CSUGEAreaID" minOccurs="0" />
                                                             <xs:simpleType>
                                                               <xs:restriction>
base="xs:string">

```

```

value="1" />                                         <xs:minLength
value="1" />                                         <xs:maxLength
value="A" />                                         <xs:enumeration
value="B" />                                         <xs:enumeration
value="C" />                                         <xs:enumeration
value="D" />                                         <xs:enumeration
value="E" />                                         <xs:enumeration
minOccurs="0">                                     </xs:restriction>
                                                 </xs:simpleType>
                                                 </xs:element>
                                                 <xs:element name="CSUGEAreaCompletionIndicator"
base="xs:string">                                    <xs:simpleType>
                                                 <xs:restriction
                                                 <xs:enumeration
value="Completed"/>                                 <xs:enumeration
value="NotCompleted"/>                               <xs:enumeration
value="CompletedWithPass-along"/>                   </xs:restriction>
                                                 </xs:simpleType>
                                                 </xs:element>
                                                 <xs:element name="CSUGEAreaCompletionDate"
type="xs:date" minOccurs="0"/>                         </xs:sequence>
                                                 </xs:complexType>
                                                 </xs:element>
                                                 </xs:sequence>
                                                 </xs:complexType>
                                                 </xs:element>
<xs:element name="CSUIGETCCCompletion" minOccurs="0">
                                                 <xs:complexType>
                                                 <xs:sequence>
                                                 <xs:element name="CSUIGETCCCertificationDate" type="xs:date" minOccurs="0" />
                                                 <xs:element name="CSUIGETCCCertificationAreas" minOccurs="0" maxOccurs="5">
                                                 <xs:complexType>
                                                 <xs:sequence minOccurs="0">
                                                 <xs:element name="CSUIGETCAreaID" minOccurs="0" >

```

```

base="xs:string">
value="1"/>
value="1"/>
value="1"/>
value="2"/>
value="3"/>
value="4"/>
value="5"/>

name="CSUIGETCAreaCompletionIndicator" minOccurs="0">
base="xs:string">
value="Completed"/>
value="NotCompleted"/>
value="CompletedWithPass-along"/>
type="xs:date" minOccurs="0"/>

<xs:simpleType>
  <xs:restriction>
    <xs:minLength
      <xs:maxLength
        <xs:enumeration
          <xs:enumeration
            <xs:enumeration
              <xs:enumeration
                <xs:enumeration
                  <xs:enumeration
                    <xs:enumeration
                      <xs:enumeration
                        <xs:enumeration
                          </xs:enumeration>
                        </xs:enumeration>
                      </xs:enumeration>
                    </xs:enumeration>
                  </xs:enumeration>
                </xs:enumeration>
              </xs:enumeration>
            </xs:enumeration>
          </xs:enumeration>
        </xs:enumeration>
      </xs:maxLength>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="CSUIGETCAreaCompletionDate"
<xs:sequence>
  </xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="UCIGETCCCompletion" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="UCIGETCCCertificationDate" type="xs:date" minOccurs="0"/>
      <xs:element name="UCIGETCCertificationAreas" minOccurs="0" maxOccurs="6">

```

```

base="xs:string">
value="1"/>
value="1"/>
value="1"/>
value="2"/>
value="3"/>
value="4"/>
value="5"/>
value="6"/>
minOccurs="0">
base="xs:string">
value="Completed"/>
value="NotCompleted"/>
value="CompletedWithPass-along"/>
type="xs:date" minOccurs="0"/>
<xs:complexType>
<xs:sequence minOccurs="0">
<xs:element name="UCIGETCAreaID" minOccurs="0">
<xs:simpleType>
<xs:restriction>
<xs:minLength
<xs:maxLength
<xs:enumeration
<xs:enumeration
<xs:enumeration
<xs:enumeration
<xs:enumeration
<xs:enumeration
<xs:enumeration
<xs:enumeration
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="UCIGETCAreaCompletionIndicator">
<xs:simpleType>
<xs:restriction>
<xs:enumeration
<xs:enumeration
<xs:enumeration
<xs:enumeration
<xs:enumeration
<xs:enumeration
<xs:enumeration
<xs:enumeration
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="UCIGETCAreaCompletionDate">
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```

```
        </xs:sequence>
    </xs:complexType>
</xs:schema>
```